

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Dated

114 JAN 2000

An Executive Agency of the Department of Trade and Industry

C98 E411976-1 D02824. P01/7700 0.00 - 9827537.3

K-011

Patents Act 1977 (Rule 16)

an explanatory leaflet from the Patent Office to help you fill in this form).

15 REC 1998 P Request for grant of a patent THE PATE!

(See the notes on the back of this form van estimates:

Output

Description:

Output

Descr FCENIED RY FAY

The Patent Office

Cardiff Road Newport Gwent NP9 1RH

1. Your Reference

2. Patent application number (The Parent Office will fill in this part)

9827537.3

P/6107.GBA

15 DEC 1998

3. Full name, address and postcode of the or of each applicant (underline all surnames)

Wharfedale International Limited I.A.G. House Ermine Business Park Huntingdon Cambridgeshire PE18 6WA

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

4. Title of the invention

LOUDSPEAKER

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

MAGUIRE BOSS

5 Crown Street St. Ives Cambridgeshire PE17 4EB

00009191002

Patents ADP number (if you know it)

Country

Priority application number (if you know it)

Date of filing (day/month/year)

earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

6. If you are declaring priority from one or more

Number of earlier application

Date of filing (day/month/year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer Yes' if:

a) any applicant named in part 3 is not an inventor, or

b) there is an inventor who is not named as an applicant, or

t) any named applicant is a corporate body:) See noce (d)

Yes

100-001





Enter the number of sheets for any of the following items you are filing with this form.Do not count copies of the same document


Continuation sheets of this form

Description

Claims(a)

**Abstract** 

Drawing(a)



2/1

If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature

Date 15/12/98

MAGUIRE BOSS

Name and daytime telephone number of person to contact in the United Kingdom

P J EVENS

Tel: 01480 301588

## Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it
- f) For details of the fee and ways to pay please contact the Patent Office

Patents Form 1/77

15/12 '98 15:24 FAX 01480 464405

K-011

100-001

The present invention relates to a portable loudspeaker for use with personal CD players (e.g., Sony DISCMAN CD players), personal mini disc players, and 5 personal stereo cassette players (e.g., Sony WALKMAN tape cassette players). For the purposes of the present specification, such CD/mini disc/cassette players are defined as personal players.

Personal players are primarily intended to produce

10 sound for one listener at a time. For this reason,
personal players are supplied with headphones.

Nevertheless, portable loudspeakers are available on the
market and are intended for the odd occasions when the
personal players are used to reproduce sound for more than

15 one person at a time. The portable loudspeakers must be
compact and lightweight in order to meet user requirements.

The present applicant has appreciated that existing portable loudspeakers for personal players are perhaps not as compact as the user would like, so much so that storage 20 is sometimes a problem. Therefore, an object of the present invention is to provide a portable loudspeaker which is more readily accepted by the user.

According to a first aspect of the present invention, there is provided a portable loudspeaker for use with a 25 personal player as hereinbefore defined, comprising a housing having an outer periphery in the shape of a storage device selected from the group consisting of a CD box, a tape cassette box, and a mini disc box.

15/12 '98 15:24 FAX 01480 464405

K-011

\_

CDs, mini discs and tape cassettes are traditionally sold in standard-sized storage boxes and, as a result, there is a tendency for the users of personal players to accept readily the size of such storage boxes. Indeed,

5 accessories such as carrying cases for personal players are sometimes designed to accommodate the standard-sized storage boxes in addition to the personal player itself.

Accordingly, the present applicant has appreciated that a loudspeaker with a housing of substantially the same

10 dimensions as one of the standard-sized storage boxes (be it single or double or otherwise) is likely to be more readily accepted by users of personal players because its size is in keeping with existing apparatus carried by users.

15 The housing may comprise an open-box enclosure and a lid, with the lid being movable from a first position covering the enclosure opening to a second position upstanding from the enclosure. With the lid in the second position, projecting away from the enclosure opening, the 20 interior of the enclosure becomes accessible, possibly for storing an item. The lid may be connected to the open-box enclosure with a hinge.

Preferably, the sound generating element of the portable loudspeaker is mounted on or in the lid of the 25 portable loudspeaker. In this way, the orientation of the sound generating element may be altered by moving the position of the lid relative to the open-box enclosure. This may be useful if the sound generating element produces

110-7

a directional output, or to take advantage of beneficial reflections of sound waves, e.g., from a flat surface such as a table.

A further sound generating element may also be mounted 5 in or on one side of the open-box enclosure. The said one side may be movable relative to the other sides of the open-box enclosure. In this way, the lid and the said one side may be orientated to face in the same direction, perhaps for stereo sound reproduction, whilst the other 10 sides of the open-box enclosure may project outwards to stabilize the portable loudspeaker. The outer periphery of the portable loudspeaker housing may be in the shape of a double CD, tape cassette of mini disc box, in which the said one side forms the second lid which faces the 15 aforementioned lid when closed.

The sound generating element of the portable loudspeaker may comprise a distributed mode loudspeaker as disclosed in International patent application number W097/09842 in the name New Transducers Limited, the whole 20 content of which is incorporated herein for reference.

The housing may house a battery for energizing the sound generating element of the portable loudspeaker. The housing may also house a radio receiver for receiving radio wave broadcasts and subsequently reproducing sound through 25 the portable loudspeaker. The radio receiver may include an aerial which is embedded in the housing.

According to a second aspect of the present invention, there is provided a portable loudspeaker for use with a

233-001

K-011

personal player as hereinbefore defined, comprising a housing comprising an open-box enclosure and a lid, a sound generator mounted on or in the lid, and means coupled to the sound generator for receiving output signals from a 5 personal player, wherein the lid is movable from a first position covering the open-box enclosure to a second position upstanding from the open-box enclosure.

The receiving means may include a socket for use in combination with a plug electrically connected to the 10 personal player. In another embodiment, the receiving means may comprise: an infra-red receiver for use in combination with an infra-red transmitter coupled to the personal player.

The lid may be connected to the open-box enclosure

15 with a hinge. A further sound generating element may be mounted in or on one side of the open-box enclosure, perhaps facing the enclosure opening. The said one side may be movable relative to the other sides of the enclosure, perhaps pivotally coupled thereto. The outer

20 periphery of the housing may resemble a standard storage device selected from the group consisting of a CD box, a tape cassette box, and a mini disc box. Other features of the second aspect of the invention are as set out hereinbefore with regard to the first aspect of the invention.

Embodiments of the invention will now be described by way of example, with reference to the accompanying drawings, in which:

10-16-63

Figure 1 shows schematically a first embodiment of a portable loudspeaker embodying the present invention; and

Figure 2 shows schematically a second embodiment of a portable loudspeaker embodying the present invention.

- Figure 1 shows a portable loudspeaker (10) resembling a double CD case, and comprising left- and right-hand lids (12, 14) pivotally coupled about parallel axes AA and BB to side walling (16). The side walling (16) forms a box like enclosure, with the left- and right-hand lids (12, 14)
- 10 acting as the top and bottom sides to complete the enclosure. The portable loudspeaker (10) is illustrated in the "open" configuration to facilitate a description of the internal components; in the "closed" configuration (not shown), the portable loudspeaker (10) is the same shape and
- 15 size as a conventional double CD case, and thus has the outward appearance thereof. In the "open" configuration, the side walling (16) acts as a support stand for the portable loudspeaker (10).

Each lid (12, 14) comprises a sound generating element 20 or an acoustic radiator (20) mounted in a frame (22) with a compliant foam surround (not shown) sandwiched therebetween to isolate the frame (22) from unwanted vibrations. The acoustic radiator (20) comprises a stiff, lightweight panel (24) and an exciter (26), positioned to excite distributed

25 mode bending waves in the panel (24). The acoustic radiator (20) works in accordance with the teachings of the disclosure of WO97/09842, the whole contents of which are incorporated herein by reference, and accordingly further

explanation is unnecessary. The exciter (26) in the lefthand lid (12) is offset relative to the one in the righthand lid (14) to avoid fouling when the portable loudspeaker (10) is in the closed configuration.

- The side walling (16) acts as a spacer between the left and right lids (12, 14), providing storage space for certain components. An amplifier (30) including a volume control (32) is mounted in one corner of the side walling (16). The amplifier (30) is coupled to input connector
- 10 (34) for receiving an output setting from a personal player such as a personal cassette player (36). The input connector (34) could be replaced with a receiver for receiving infra-red output signals from a transmitter coupled to the personal player. The amplifier (30) sends
- 15 electrical signals to the exciters (26) via wiring (not shown) in order to generate sound. A battery (40) supplying power for the amplifier (30) is located in the corner of the side walling (16) opposite the amplifier (30); by locating the amplifier (30) and battery (40) in
- 20 opposing corners, space is left available to accommodate the exciters (26) when the loudspeaker (10) is in the closed configuration.

The amplifier (30) has incorporated with it a radio receiver (38) for receiving radio wave broadcasts to enable 25 radio broadcasts to be heard using the portable loudspeaker (10). The radio receiver (38) has an aerial (39) embedded in side walling (16).


Despite the presence of compliant foam isolating the acoustic radiator (20) from the frame (22), some vibrations may still be conveyed through the frame to the side walling (16). Vibrations induced in the side walling (16) may be undesirable, and may be reduced by placing compliant foam absorbers (not shown) where the frames (22) may otherwise be in contact with the side walling (16).

Figure 2 shows a portable loudspeaker (50) resembling a single CD case, and comprising a lid (52) pivotally 10 coupled about axis A<sup>1</sup>A<sup>1</sup> to open-box enclosure (54). Open-box enclosure (54) consists of frame (56) with an acoustic radiator (24, 26) mounted in it. The portable loudspeaker (50) is illustrated in the "open" configuration to show the internal components.


of Figure 1, the same reference numerals have been used. A slimline battery arrangement (58) is illustrated, and the amplifier omitted for convenience. In any event, a miniature digital amplifier could be used in place of the 20 somewhat larger analogue amplifier illustrated in Figure 1. A key difference between the figure 1 and 2 embodiments is the fact that there is no independent side walling so that the lid (52) is hinged direct to the frame (56). The acoustic radiator (24, 26) in the frame (56) is optional 25 and if only one acoustic radiator is required in the portable loudspeaker (50), a standard panel (60) would be

used to complete the enclosure. A stereo signal could

still be reproduced by using a pair of such loudspeakers.



 $^{2}/_{2}$ 



## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

| Defects in the images include but are not limited to the items checked: |
|---|
| BLACK BORDERS   |
| IMAGE CUT OFF AT TOP, BOTTOM OR SIDES                                   |
| ☐ FADED TEXT OR DRAWING   |
| ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING                                  |
| ☐ SKEWED/SLANTED IMAGES   |
| COLOR OR BLACK AND WHITE PHOTOGRAPHS                                    |
| GRAY SCALE DOCUMENTS  |
| LINES OR MARKS ON ORIGINAL DOCUMENT                                     |
| REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY                   |
| D   |

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.